

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/12/2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Vertex Orthoplast Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Manufacture of 3D-printed applications for the dental industry

Use of the substance/mixture : Dentistry

Title	Use descriptors
Vertex Orthoplast	SU20

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Manufacturer Vertex Dental Henry Schein Hallas Ltd. Centurionbaan 190 Building 3, Level 6

3769 AV Soesterberg - The Netherlands 189 - O'Riordan Street,

Mascot, NSW 2020 - Australia T+31 886160400

T 1300 65 88 22 info@vertex-dental.com - www.vertex-dental.com

customer.care@henryschein.com.au - https://henryschein.com.au

1.4. Emergency telephone number

Emergency number : Australia: 13 11 26

(Only for the purpose of informing medical personnel in cases of accidental intoxications. The

emergency phone number is 24 hours/day available.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Flammable liquids, Category 2 H225 Skin corrosion/irritation, Category 2 H315 H317 Skin sensitisation, Category 1 Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP)

Hazardous ingredients : ethylene dimethacrylate; methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-

methylpropenoate

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation.

> AU - en 1/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 - In case of fire: Use foam, dry extinguishing powder, carbon dioxide (CO2) to

extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

: HAZARDOUS CHEMICAL and DANGEROUS GOODS.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

Extra phrases

3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (Note D)	(CAS-No.) 80-62-6 (EC-No.) 201-297-1 (EC Index-No.) 607-035-00-6 (REACH-no) 01-2119452498-28	>= 75	Flam. Liq. 2, H225 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317
ethylene dimethacrylate (Note D)	(CAS-No.) 97-90-5 (EC-No.) 202-617-2 (EC Index-No.) 607-114-00-5 (REACH-no) 01-2119965172-38	< 10	STOT SE 3, H335 Skin Sens. 1, H317
N,N-dimethyl-p-toluidine (Note C)	(CAS-No.) 99-97-8 (EC-No.) 202-805-4 (EC Index-No.) 612-056-00-9 (REACH-no) 01-2119937766-23	0.1 - 1	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT RE 2, H373 Aquatic Chronic 3, H412
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
ethylene dimethacrylate	(CAS-No.) 97-90-5 (EC-No.) 202-617-2 (EC Index-No.) 607-114-00-5 (REACH-no) 01-2119965172-38	(C >= 10) STOT SE 3, H335	

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

First-aid measures after ingestion

7/12/2018 (Version: 1.0) AU - en 2/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Contain and collect spillages with non-combustible absorbent materials, e.g. Store away

from other materials. Keep in suitable, closed containers for disposal.

Other information : Remove all sources of ignition.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to

prevent formation of vapour. Avoid breathing vapours, mist. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No expect flowers. No employing the early per engine tools.

leaving work. No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical, ventilating, lighting

equipment.

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep in fireproof place. Keep container tightly closed.

Control of the contro

Incompatible products : Strong bases. Strong acids.

Storage temperature : < 30 °C

Heat and ignition sources : Keep away from : ignition sources. Direct sunlight. heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)		
Australia	Local name	Methyl methacrylate
Australia	TWA (mg/m³)	208 mg/m³
Australia	TWA (ppm)	50 ppm
Australia	STEL (mg/m³)	416 mg/m³
Australia	STEL (ppm)	100 ppm
Australia	Remark (AU)	Sen - Respiratory and/or Skin Sensitiser.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

methyl methacrylate: methyl 2-methylnr	rop-2-enoate; methyl 2-methylpropenoate (80-62-6)
DNEL/DMEL (Workers)	op-z-enoate, metriyi z-metriyipropenoate (00-02-0)
Acute - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, dermal	13.67 mg/kg bodyweight/day
Long-term - local effects, dermal	1.5 mg/cm ²
Long-term - systemic effects, inhalation	
	208 mg/m³
Long-term - local effects, inhalation	208 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, dermal	1.5 mg/cm²
Long-term - systemic effects, inhalation	74.3 mg/m³
Long-term - systemic effects, dermal	8.2 mg/kg bodyweight/day
Long-term - local effects, dermal	1.5 mg/cm²
Long-term - local effects, inhalation	104 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.94 mg/l
PNEC aqua (marine water)	0.94 mg/l
PNEC aqua (intermittent, marine water)	0.94 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5.74 mg/kg bw
PNEC (Soil)	
PNEC soil	1.47 mg/kg bw
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
ethylene dimethacrylate (97-90-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	1.3 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.45 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.83
Long-term - systemic effects, inhalation	1.45 mg/m³
Long-term - systemic effects, dermal	0.83 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.139 mg/l
PNEC aqua (marine water)	0.0139 mg/l
PNEC aqua (intermittent, freshwater)	0.15 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1.6 mg/kg bw
PNEC sediment (marine water)	0.16 mg/kg bw
PNEC (Soil)	
PNEC soil	0.239 mg/kg bw
	0.200 mg/kg bw
PNEC (STP)	E7 ma/l
PNEC sewage treatment plant	57 mg/l
N,N-dimethyl-p-toluidine (99-97-8)	
DNEL/DMEL (Workers)	Taranas and a second
Long-term - systemic effects, dermal	0.694167 mg/kg bodyweight/day

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

N,N-dimethyl-p-toluidine (99-97-8)		
Long-term - systemic effects, inhalation	1.224 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.173542 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.301812 mg/m³	
Long-term - systemic effects, dermal	0.292522 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0137 - 0.15259 mg/l	
PNEC aqua (marine water)	0.00137 - 0.015259 mg/l	
PNEC aqua (intermittent, freshwater)	0.0137 - 0.15259 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	45.378 - 48.245 mg/kg bw	
PNEC sediment (marine water)	45.378 - 48.245 mg/kg bw	
PNEC (Soil)		
PNEC soil	18.677 - 20.365 mg/kg bw	
PNEC (STP)		
PNEC sewage treatment plant	1.36 - 4.286 mg/l	
9.2 Evpocure controle		

8.2. Exposure controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system.

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. penetration time (maximum wearing period): 60 m. Suitable material: butyl rubber. Layer thickness: 0,7 mm. If there is a risk of liquid being splashed: Nitrile rubber gloves Incidental

Eye protection:

Wear eye glasses with side protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. At high concentrations: Wear respiratory protection. Combination filtering device (DIN EN 141). High gas/vapour concentration: gas mask with filter type A

Personal protective equipment symbol(s):







Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : clear. Colourless.

Odour : Ester. characteristic. strong. Acrid.

Odour threshold : No data available pH : Not applicable Relative evaporation rate (butylacetate=1) : No data available

Melting point : -48 °C

Freezing point : No data available

Boiling point : 100.5 °C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point : $10 \, ^{\circ}\text{C}$ Auto-ignition temperature : $421 \, ^{\circ}\text{C}$

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour

Vapour pressure : 3.6 Pa @ 20°C
Relative vapour density at 20 °C : No data available
Relative density : 0.94 @ 15.5 °C

Solubility : miscible with most organic solvents.

Water: 1.6 % slightly soluble

Organic solvent: Soluble in organic solvents

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Not applicable.
Oxidising properties : Not applicable.
Explosive limits : 2.1 - 12.5 vol %

9.2. Other information

VOC content : < 95 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.3. Possibility of hazardous reactions

Exothermic reaction. Keep away from oxidizers, strong acids and strong bases.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Water, humidity.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LD50 oral rat	7900 - 9400 mg/kg
LD50 dermal rabbit	5000 mg/kg
LC50 inhalation rat (mg/l)	29.8 mg/l/4h

ethylene dimethacrylate (97-90-5)	
LD50 oral rat	8300 ml/kg
LD50 dermal rat	2000 mg/kg

N,N-dimethyl-p-toluidine (99-97-8)	
LD50 oral rat	1650 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	1.4 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

pH: Not applicable

Serious eye damage/irritation : Not classified

pH: Not applicable

Respiratory or skin sensitisation : May cause an allergic skin reaction.

7/12/2018 (Version: 1.0) AU - en 6/12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause respiratory irritation.

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LOAEC (inhalation, rat, vapour, 90 days)	416 mg/m³ air
NOAEL (oral, rat, 90 days)	124.1 - 164 mg/kg bodyweight/day
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	500 - 1000 ppm

ethylene dimethacrylate (97-90-5)	
NOAEL (oral, rat, 90 days)	100 - 1500 mg/kg bodyweight/day

N,N-dimethyl-p-toluidine (99-97-8)	
LOAEL (oral, rat, 90 days)	201.786 mg/kg bodyweight/day

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Avoid release to the environment.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)	
LC50 fishes	79 mg/l
EC50 Daphnia	69 mg/l
EC50 72h algae (1)	110 mg/l
LOEC (chronic)	68 mg/l (21 d)
NOEC (acute)	40 mg/l (4 d)
NOEC chronic fish	37 mg/l (21 d)

ethylene dimethacrylate (97-90-5)	
LC50 fishes	15.95 mg/l
EC50 Daphnia	44.9 mg/l
EC50 72h algae (1)	17.3 mg/l
NOEC (chronic)	5.05 mg/l

N,N-dimethyl-p-toluidine (99-97-8)	
LC50 fishes	45 - 52.8 mg/l
EC50 Daphnia	13.7 mg/l
EC50 other aquatic organisms 1	42.864 mg/l microorganisms
EC50 72h algae (1)	22 - 24.37 mg/l

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

Vertex Orthoplast

Bioaccumulative potential Not established.

methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate (80-62-6)

Log Pow 1.38 @ 20 °C and pH 7

ethylene dimethacrylate (97-90-5)

Log Pow 2.4

N,N-dimethyl-p-toluidine (99-97-8)

Log Pow 1.729 @ 35 °C and pH 5.6

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

n accordance with ADN / ADR / IATA / IMDG / RID

In accordance with ADN / ADR / IATA / IMDG / RID				
ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1247	1247	1247	1247	1247
14.2. UN proper shippin	g name			
METHYL METHACRYLATE MONOMER, STABILIZED	METHYL METHACRYLATE MONOMER, STABILIZED	Methyl methacrylate monomer, stabilized	METHYL METHACRYLATE MONOMER, STABILIZED	METHYL METHACRYLATE MONOMER, STABILIZED
Transport document descr	Transport document description			
UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II, (D/E)	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II (8°C c.c.)	UN 1247 Methyl methacrylate monomer, stabilized, 3, II	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II
14.3. Transport hazard	14.3. Transport hazard class(es)			
3	3	3	3	3
3	3		3	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment: No	Dangerous for the environment : No
No supplementary information	No supplementary information available			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 386
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V8

Special provisions for carriage - Operation (ADR) : S2, S4, S20

Hazard identification number (Kemler No.) : 339

Orange plates :

339 1247

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 386 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : C

Stowage and handling (IMDG) : SW1, SW2 Flash point (IMDG) : 8°C c.c.

Properties and observations (IMDG) : Colourless, volatile liquid. Flashpoint: 8°C c.c. Explosive limits: 1.5% to 11.6% Immiscible

with water. Irritating to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A209 ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 386
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Rail transport

Classification code (RID): F1Special provisions (RID): 386Limited quantities (RID): 1LExcepted quantities (RID): E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 339

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the R	EACH Regulation (EC) No 1907/2006:
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	ethylene dimethacrylate - 2-hydroxyethyl methacrylate - methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate - N,N-dimethyl-p-toluidine
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Vertex Orthoplast - methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Vertex Orthoplast - ethylene dimethacrylate - 2-hydroxyethyl methacrylate - methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate - N,N-dimethyl-p-toluidine
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	N,N-dimethyl-p-toluidine
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content : < 95 %

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	
Full text of use descriptors		
SU20	Health services	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

SDS EU (REACH Annex II)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product